



N M G

NEFERTITI MARBLE & GRANITE

trust built of stone



TABLE OF CONTENTS

ABOUT US

VISION
MISSION

OUR FACILITY

OUR PRODUCTS

SIZES AND
FINISHES

EDGE CHAMFERING

PACKING

CONTACT US



ABOUT US

Nefertiti marble and granite was established in Al Minya's Industrial zone in 2012, with a strong background in the Egyptian marble and granite industrial market since 1975.

NMG excels in exporting and trading marble, granite, slate, sandstone and limestone. It exports its products to the MENA region, Far East Asia, Europe and America.

Which produces all its works entirely within its facilities that will satisfy the customers with variety, quality, cost and time.

VISION

NMG Vision is to be leading company in the Egyptian marble and granite manufacture and trade markets in Egypt and the world.

NMG aspires to maintain and enhance its core values, honesty and integrity, leadership, community and prosperity.

MISSION

Providing the international and local markets with best quality of Egyptian marble and granite along with competitive prices, highly efficient customer service and support, aiming to exceed our customers' expectations and satisfactions, creating the best working environment to present the best value for all our clients & stockholders.

OUR FACILITY

In production, using the latest technology and machines helps us to introduce the best quality product and services. We have a wide range of marble and natural stones products color and size scale.

Our machinery includes:

Mono and Multi Gang Saw

Block cutter

Polishing and stripping line

Brushing line

Calibrated tile line and cut to size



OUR EGYPTIAN PRODUCTS

MARBLE COLLECTION

GRANITE COLLECTION


EGYPTIAN MARBLE



SUNNY MINYA



SUNNY ROSE



WHITE SILVIA



GALALA



GALALA ROSE



SAMAHA



FLELLETTO



MELLY BROWN



MELLY GREY



TRIESTA BEIGE



TRIESTA GREY

Egyptian Marble Standard Specifications & Technical Data

Water Absorption (ASTM C 97): 0.29 %

Modulus of Rupture (ASTM C 99): 2000 psi

Compressive Strength (ASTM C 170): 13300 psi

Abrasion Resistance (ASTM C 24): 26.4 Ha

Flexural Strength (ASTM C 880): 1600 psi

Density (ASTM C 97): 2618

Country of origin: Egypt

Material availability: Blocks, slabs, tiles

Dimensions of the slabs: 265-300cm x 160-195cm

Thickness of the slabs (Availability): 15-20-30-40-50mm (up to 200mm by order)


Dimensions of the tiles (Availability): Any dimensions

Thickness of the tiles: 10-12-15-20-30-40mm (up to 200mm by order)

EGYPTIAN GRANITE



GANDOLA



FORSAN



RED ASWAN



ROSA HODY




ROSA NASR



ROYAL RED



HALAYEB



NEW HALAYEB



GREY ASWAN



GREEN VERDI



YELLOW VERDI



BLACK ASWAN

Egyptian Granite Standard Specifications & Technical Data

Water Absorption (ASTM C 97): 0.08 %

Modulus of Rupture (ASTM C 99): 2 400 psi

Compressive Strength (ASTM C 170): 24 800 psi

Abrasion Resistance (ASTM C 24): 40.6 Ha

Flexural Strength (ASTM C 880): 2 200 psi

Density (ASTM C 97): 2 649

Country of origin: Egypt

Material availability: Blocks, slabs, tiles

Dimensions of the slabs: 180-210cm x 45-65cm

Thickness of the slabs (Availability): 10-12-15-20mm

Dimensions of the tiles (Availability): Any dimensions

Thickness of the tiles: 10-12-15-20 mm

AVAILABLE SIZES

Blocks, Slabs (2 Cm, 3 Cm & 4 Cm thickness), Cut to sizes and tiles.



BLOCKS



SLABS



TILES

AVAILABLE SURFACE FINISHES



BUSHHAMMERED

A mechanical round hammering process that produces textured surfaces varying from subtle to rough.

Applications: walls (interior & exterior) & floors (exterior)



TUMBLLED

Tumbling is vibrating the tiles with some special stones to give the surface a textured and antique look whereby the edges are rounded and imperfect.

Applications: walls & floors (interior & exterior)



SPLIT FACE

Split face surfaces are those which are left natural after manual splitting of Stone along planar surfaces. This finish shows the actual natural earthy tone of the Stone.

Applications: wall cladding (interior & exterior)



ACID WASHED

Stone surfaces are treated by acids to give them a spectacular antique look.

Applications: walls & floors (interior)



BRUSHED

An antique stone finish produced by continuous scrubbing of the surface with wire brushes.

Applications: walls & floors (interior & exterior)



SAND BLASTED

A high pressure jet of siliceous sand/ or steel shots is applied to the area to be treated. This treatment produces a smooth abrasion, leaving the material with a slightly scratched surface (but not roughed). The color tones and the veins are slightly dulled. Applications: walls & floors (interior & exterior)



FLAMED

Applying blowtorch-strength heat to the surface of Marble & Granite, this actually pops some of the crystals and creates a deeply textured surface which produces flamed Stone. In addition to its rough beauty, flamed Granite has a highly textured surface, which gives it a very non-slippery surface, ideal for exterior installations. Applications: walls & floors (exterior)



HONED

















A sati-smooth Stone finish. Honed finish has a matte or satin finish for a softer, more subdued look, achieved by stopping just short of the last stage of polishing. Applications: walls & floors (interior & exterior)



POLISHED

A Shiny, mirror-like finish resulting from filling the pores of the rough saw-cut surface through treating and grinding the surface using some polishing abrasive stones. Marble, Limestone & Granite slabs are polished by large polishing machines, which progressively grind the rough saw-cut surface giving it a spectacular mirror-like finish. Applications: walls & floors (interior & exterior)

EDGE CHAMFERING

Descriptions	Profiles	Descriptions	Profiles
Straight Edge		Laminated half Bullnose Edge	
Bevelled Edge		Laminated Full Bullnose Edge	
Half Bullnose Edge		Laminated Ogee Edge	
full Bullnose Edge		Non - Laminated Straight Edge	
Ogee Edge		Non - Laminated Bevelled Edge	
Laminated straight Edge		Non - Laminated Half Bullnose Edge	
Laminated straight Double Edge		Non - Laminated Full Bullnose Edge	
Laminated Bevelled Edge		Non - Laminated Ogee Edge	

PACKING



BOXES AND PALLETS PACKING



BUNDLE PACKING



DIRECT PACKING



CONTACT US



+201000903515 /16
Land Line: +20225163533



www.nefertitimarble.com



Customerservices@nefertitimarble.com



4 Misr Eltamer building - Zahraa' El Maadi main street,
Maadi, Cairo, Egypt



Nefertiti Marble Factories

Minya Factory : Industrial area, chemical and building material zone, East Minya, Al Minya
city, Egypt



Cairo Factory : Saff industrial area-Giza Government

